# **Radial Smart Sheet**

## SGI<sup>™</sup> STUDIO GUITAR INTERFACE



Radial SGI Studio Guitar Interface is a transmit (SGI-TX) and receive (SGI-RX) pair of modules that allows a guitar signal to travel across 500 feet of balanced cable to a distant amplifier. The SGI is a unity gain device that features 100% discreet Class-A circuitry for great sound and transformer isolation to eliminate ground loops.

For the studio, the SGI allows the guitarist to play in the control room while listening to the studio monitors. For live performance, the SGI allows amplifiers to be located off stage while improving sound and reliability over wireless systems.

The guitar connects directly to the SGI-TX which performs level and impedance conversion and outputs a balanced signal. The output is similar to that of microphones and DI's allowing the SGI to be used with studio wiring and concert snake systems. At the far end of the balanced line sits the SGI-RX which converts the signal back to a hi-Z instrument level output that connects to pedalboards and amplifiers. With the SGI, the guitarist can now play the roles of performer, engineer and producer, while saving immeasurable time during the recording process. Comes complete with 15VDC power supply for the SGI-TX module. The SGI-RX is passive and does not require power.

### Features

- · Active transmit and receive guitar interface
- Class-A circuit for great sound with long cables
- Transformer-isolated at each end to eliminate ground loops
- Drag<sup>™</sup> control pickup load correction

#### Applications

- Connect guitar amps up to 300 feet away (100m)
- Play in the control room and isolate amps in studio
- · Locate amps off-stage for live performance


#### Cool stuff

- · Retains original tone of guitar
- · Quiet, adds nothing, unity gain input/output
- Uses common XLR mic cables and snakes
- Same buffer circuit used in Radial JD7 Injector
- 'Plug & Play' easy-to-use
- 3 year transferable warranty




That's a lot of cable! No problem for the SGI

SGI with Wireless Systems



SGI with Off-Stage Amps



PSU CONNECTOR 15VDC supply.

**GROUND LIFT** switch disconnects pin-1 on the XLR out.

**XLR TRANSMIT OUTPUT**  $600\Omega$ , balanced XLR output sends signal to RX unit.

HEAVY-DUTY WELDED I-BEAM enclosure of 14 gauge steel.

**GUITAR INPUT** 

**DRAG CONTROL** allows you to reintroduce the natural tone that is lost with buffered inputs.


**GUITAR OUTPUT** 1/4" output connects to amps or pedals.

#### FULL BOTTOM PAD improves electrical isolation and keeps the SGI from moving around on busy stages!

GROUND LIFT switch disconnects pin-1 on the XLR input.

XLR RECEIVE INPUT 600Ω, balanced XLR input receives signal from SGI-TX unit.

SGI in the Studio



Radial Engineering - Division of JP CableTek Electronics Ltd. · Tel: 604-942-1001 · Fax: 604-942-1010 · www.radialeng.com · email info@radialeng.com This document is the property of JP CableTek Electronics Ltd. Smart Sheet (C) Subject to change without notice.